

What is claimed:

1. A method for identifying a compound capable of treating a cardiovascular disorder or a thrombotic disorder, comprising:
  - a) combining a compound to be tested with a 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 polypeptide under conditions suitable for binding of the test compound to the polypeptide; and
  - b) detecting binding of the test compound to the polypeptide to thereby identify a compound which binds to the polypeptide,thereby identifying a compound capable of treating a cardiovascular disorder or a thrombotic disorder.
2. The method of claim 1, wherein the compound is selected from the group consisting of a small molecule, a peptide or an antibody.
3. The method of claim 1, wherein the polypeptide further comprises heterologous sequences.
4. The method of claim 1, wherein the polypeptide is an isolated polypeptide, a membrane-bound form of an isolated polypeptide or a cell comprising the polypeptide.
5. The method of claim 1, wherein the disorder is aberrant vascularization, atherosclerosis, thrombosis, coronary artery disease, hyperlipidemia, dyslipidemia, high blood pressure and heart failure.
6. The method of claim 1, wherein the binding of the test compound to the polypeptide is detected by a method selected from the group consisting of:
  - a) a competition binding assay;

- b) an immunoassay; and
- c) a yeast two-hybrid assay.

7. A method for identifying a compound capable of treating a cardiovascular disorder or a thrombotic disorder, comprising:

- a) combining a compound to be tested with a host cell expressing a 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 polypeptide under conditions suitable for binding of the test compound to the polypeptide; and
  - b) detecting binding of the test compound to the polypeptide to thereby identify a compound which binds to the polypeptide,
- thereby identifying a compound capable of treating a cardiovascular disorder or a thrombotic disorder.

8. The method of claim 7, wherein the compound is selected for the group consisting of a small molecule, a peptide, an antibody or an antisense nucleic acid molecule.

9. The method of claim 7, wherein the polypeptide further comprises heterologous sequences.

10. The method of claim 7, wherein the disorder is aberrant vascularization, atherosclerosis, thrombosis, coronary artery disease, hyperlipidemia, dyslipidemia, high blood pressure and heart failure.

11. The method of claim 7, wherein the binding of the test compound to the polypeptide is detected by a method selected from the group consisting of:

- a) a competition binding assay;
- b) an immunoassay; and
- c) a yeast two-hybrid assay.

12. A method of identifying a subject having a cardiovascular or thrombotic disorder, or at risk for developing a cardiovascular or thrombotic disorder comprising:

a) contacting a sample obtained from the subject comprising polypeptides with a 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 binding substance; and

b) detecting the presence of a polypeptide in the sample that binds to the 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 binding substance, thereby identifying a subject having a cardiovascular or thrombotic disorder, or at risk for developing a cardiovascular or thrombotic disorder.

13. The method of claim 12, wherein the binding substance is an antibody.

14. The method of claim 12, wherein the binding substance is detectably labeled.

15. A method for treating a subject having a cardiovascular or thrombotic disorder characterized by aberrant 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 polypeptide activity or aberrant 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552,

2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 nucleic acid expression comprising administering to the subject a 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 modulator, thereby treating the subject having a cardiovascular or thrombotic disorder.

16. The method of claim 15, wherein the disorder is aberrant vascularization, atherosclerosis, thrombosis, coronary artery disease, hyperlipidemia, dyslipidemia, high blood pressure and heart failure.

17. The method of claim 15, wherein the 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 modulator is administered in a pharmaceutically acceptable formulation.

18. The method of 15, wherein the 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 modulator is capable of modulating 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510,

14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 polypeptide activity.

19. The method of claim 18, wherein the 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 modulator is an anti-1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 antibody.

20. The method of claim 15, wherein the 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 modulator is capable of modulating 1722, 10280, 59917, 85553, 10653, 9235, 21668, 17794, 2210, 6169, 10102, 21061, 17662, 1468, 12282, 6350, 9035, 1820, 23652, 7301, 8925, 8701, 3533, 9462, 9123, 12788, 17729, 65552, 1261, 21476, 33770, 9380, 2569654, 33556, 53656, 44143, 32612, 10671, 261, 44570, 41922, 2552, 2417, 19319, 43969, 8921, 8993, 955, 32345, 966, 1920, 17318, 1510, 14180, 26005, 554, 16408, 42028, 112091, 13886, 13942, 1673, 54946 or 2419 nucleic acid expression.